

ADDENDUM NO. 5

BID TITLE: Weston Road Improvements Surtax-Funded Municipal Transportation
Project No. West 303

BID NO: 2025-02

DATE: May 23, 2025

To All Proposers:

Proposers for the above referenced BID shall take note of the following changes, additions, deletions, clarifications, etc., to the BID documents, which shall become a part of and have precedence over anything shown or described otherwise.

A. CHANGES IN THE BID DOCUMENTS

None.

B. CLARIFICATIONS

- 1) "ARTICLE 7.0, Revised BID AMOUNTS", attached herein.

C. QUESTIONS FROM BIDDERS

- 1) Q: Please check the asphalt pay item. The plans call for SP 9.5 and the bid form calls for FC 9.5. There's a big difference in pricing. This is an easy clarification that's needed and doesn't require a bid date extension. Please clarify.

A: Please view the attached "ARTICLE 7.0 BID AMOUNTS". The pay item on the bid form should be 334-1-13 Superpave Asphaltic Concrete, SP-9.5, Traffic Level C.

ATTACHMENTS

- 1) ARTICLE 7.0, Revised BID AMOUNTS

END OF ADDENDUM NO. 5

All other information remains as originally described in the solicitation.

[SPACE INTENTIONALLY LEFT BLANK]

REVISED ARTICLE 7.0
BID AMOUNTS

The Bidder offers the following for providing all labor, materials, equipment, and all other incidental costs to complete the project in accordance with the contract documents. The costs for each individual pay item as set out herein shall be inclusive of all costs for each. All quantities are estimated. Payment will be made only for the quantities actually used.

BID ITEM	FDOT ITEM	DESCRIPTION	QTY	UNIT	UNIT RATE PRICE	ESTIMATED AMOUNT
General Items						
1.01		Mobilization and Demobilization (maximum of 2.5% of total price)	1	LS		
1.02	0102 1	Maintenance of Traffic (maximum of 2.5% of total price)	1	LS		
1.03		Stormwater Pollution Prevention	1	LS		
1.04		Permitting Allowance	1	AL	\$10,000.00	\$10,000.00
1.05		General Items (maximum of 2.5% of total price)	1	LS		
Drainage						
2.01	0400 011	Concrete Class Ns, Gravity Wall Index 400-011	6	CY		
2.02	0425-1-341	Inlets, Curb, Type P-4, < 10'	1	EA		
2.03	0425-1-351	Inlets, Curb, Type P-5, < 10'	2	EA		
2.04	0425-1-201	Inlets, Curb, Type 9, < 10'	2	EA		
2.05	0425-1-361	Inlets, Curb, Type P-6, < 10'	3	EA		
2.06	0425-	Inlets, Curb, P-6, Offset	3	EA		
2.07	0425-11	Inlets, Modify, Partial	1	EA		
2.08	0430-982-129	Mitered End Section (Mes) 24"	1	EA		
2.09	0430-175-118	18" RCP Pipe	1510	LF		
2.10	0430-175-124	24" RCP Pipe	342	LF		
2.11	0430-001	Concrete Jacket (F&I)	1	EA		
2.12		Concrete Aprons (includes removal of existing where necessary)	13	EA		
2.13	0430-524-120	Drainage Outfall	1	EA		
Roadway/Site						
3.01	0110-1-1	Clearing and Grubbing – see Spec 01012	1	LS		
3.02	0110 21	Tree Protection Barrier	560	LF		
3.03	0110 22	Tree Root and Branch Pruning	7	EA		
3.04	0110 23	Tree Removal	1	EA		
3.05	0110 4 10	Removal of Existing Concrete	4985	SY		
3.06	0120-1-	Regular Excavation	1250	CY		
3.07	0120-4	Subsoil Excavation	105	CY		
3.08	0145 2	Geosynthetic Reinforced Foundation Over Soft Soil	3170	SY		
3.09	0160 4	Type B Stabilization	3214	SY		

BID ITEM	FDOT ITEM	DESCRIPTION	QTY	UNIT	UNIT PRICE RATE	ESTIMATED AMOUNT
Roadway/Site (continued)						
3.10	0210 2	Limerock-New Material for Reworking Base	1057	CY		
3.11	0327 70 1	Milling Existing Asphalt Pavement, 1" Avg Depth	145325	SY		
3.12	334 1 13	Superpave Asphaltic Concrete, Traffic C, SP-9.5	8351	TN		
3.13	0519 78	Bollards	8	EA		
3.14	0520 1 10	Concrete Curb & Gutter, Type F includes Curb Pad	4480	LF		
3.15	0520-2-114	8" D Curb	1000	LF		
3.16	0527 2	Detectable Warnings	78	EA		
3.17	0552 1	Concrete Sidewalk and Driveways, 4" Thick	2816	SY		
3.18	0570 1 2	Performance Turf, Sod	2247	SY		
3.19	1080-21-500	Adjust Existing (Valves, Manholes, Pull Boxes) to Existing Grade	39	EA		
3.20	0526-1-101	Removal of Existing Pavers	55	SY		
3.21	751-35-43	Relocate/Reconstruct Existing Bus Shelter - See Spec 01012	2	EA		
3.22		Irrigation System Modifications	1	LS		
Signalization						
4.01	0630 2 11	Conduit, Furnish & Install, Open Trench	310	LF		
4.02	0630 2 12	Conduit, Furnish & Install, Directional Bore	1145	LF		
4.03	0632 7 1	Signal Cable- New or Reconstructed Intersection, Furnish & Install	5	PI		
4.04	0632 7 6	Signal Cable, Remove- Intersection	5	PI		
4.05	0635 2 11	Pull & Splice Box, F&I, 13" X 24" Cover Size	36	EA		
4.06	0635 2 12	Pull & Splice Box, F&I, 24" X 36" Cover Size	2	EA		
4.07	0639 1122	Electrical Power Service F&I, underground, meter furnished by Contractor	2	AS		
4.08	0639 2 1	Electrical Service Wire, F&I	440	LF		
4.09	0439 2 12	Electrical Service Disconnect, F&I, Cabinet	2	EA		
4.10	0646 1 11	Aluminum Signals Pole, Pedestal	24	EA		
4.11	0646 1 60	Aluminum Signals Pole, Remove	15	EA		
4.12	0649 21 10	Steel Mast Arm Assembly, Furnish and Install, Single Arm 60', Valmont	1	EA		

BID ITEM	FDOT ITEM	DESCRIPTION	QTY	UNIT	UNIT PRICE RATE	ESTIMATED AMOUNT
Signalization (continued)						
4.13	0649 21 15	Steel Mast Arm Assembly, Furnish and Install, Single Arm 78', Valmont	2	EA		
4.14	0650 1 14	Vehicular Traffic Signal, Furnish & Install, Aluminum, 3 Section, 1 Way	6	EA		
4.14	0650 1 16	Traffic Signal, Furnish & Install Aluminum, 4 Section, 1 Way	2	EA		
4.15	0653 1 11	Pedestrian Signal, Furnish & Install Led Countdown, 1 Way	40	EA		
4.16	0653 1 12	Pedestrian Signal, Furnish & Install Led Countdown, 2 Ways	1	EA		
4.17	0653 1 60	Pedestrian Signal, Remove Ped Signal- Pole/Pedestal To Remain	31	EA		
4.18	0660 4 41	Vehicle Detection System- Video, Relocate Cabinet Equipment	3	EA		
4.19	0660 4 42	Vehicle Detection System- Video, Relocate Above Ground Equipment	3	EA		
4.20	0660 4 51	Vehicle Detection System- Video, Adjust Modify Cabinet Equipment	2	EA		
4.21	0665 1 12	Pedestrian Detector, Furnish and Install, Accessible	36	EA		
4.22	0665 1 60	Pedestrian Detector, Remove – Pole/Pedestal to Remain	31	EA		
4.23	0660 4 42	Internally Illuminated Sign, F&I, Overhead Mount, 12-18 SF	3	EA		
Pavement Markings						
5.01	0711 11102	Thermoplastic, Standard, White, Solid, 8 For Interchange and Urban Island	0.28	GM		
5.02	0711 11123	Thermoplastic, Standard, White, Solid, 12 For Crosswalk and Roundabout	5545	LF		
5.03	0711 11124	Thermoplastic, Standard, White, Solid, 18 For Diagonals And Chevrons	714	LF		
5.04	0711 11125	Thermoplastic, Standard, White, Solid, 24 For Stop Line And Crosswalk	1695	LF		
5.05	0711 11141	Thermoplastic, Standard, White, 2-4 Dotted Guideline/ 6-10 Gap Extension, 6"	2.88	GM		

BID ITEM	FDOT ITEM	DESCRIPTION	QTY	UNIT	UNIT PRICE RATE	ESTIMATED AMOUNT
Pavement Markings (continued)						
5.07	0711 11170	Thermoplastic, Standard, White, Arrow	241	EA		
5.06	0711 11160	Thermoplastic, Standard, White, Message Or Symbol	24	EA		
5.08	0711 11224	Thermoplastic, Standard, Yellow, Solid, 18 For Diagonal Or Chevrons	200	LF		
5.09	0711 11241	Thermoplastic, Standard, Yellow, 2-4 Dotted Guide Line /6-10 Dotted Extension Line, 6"	0.16	GM		
5.10	0711 15101	Thermoplastic, Standard - Open Graded Asphalt Surfaces, White, Solid, 6	16.45	GM		
5.11	0711 15102	Thermoplastic, Standard - Open Graded Asphalt Surfaces, White, Solid, 8	0.19	GM		
5.12	0711 15131	Thermoplastic, Standard-Open Graded Asphalt Surfaces, White, Skip, 6", 10-30 Skip Or 3-9 Lane Drop	5.70	GM		
5.13	0711 15171	Thermoplastic, Standard-Open Graded Asphalt Surfaces, White, 6", 6-10 Dotted Managed Lane Marking	0.44	GM		
5.14	0711 15201	Thermoplastic, Standard - Open Graded Asphalt Surfaces, Yellow, Solid, 6"	5.84	GM		
5.15	706 1 3	Raised Pavement Marker, Type B - Per Plans and Details	1	LS		
5.16	0700 1 50	Single Post Sign, Relocate (Weston Style Sign)	5	EA		
5.17	0700 1 60	Single Post Sign, Remove (Weston style sign)	23	EA		
5.18	0700 1 11	Single Post Sign, F&I, Ground Mount Up to 12 SF	29	EA		
5.19	0700 1 12	Single Post Sign, F&I, Ground Mount 12-20 SF	1	EA		
5.20	0714 10	Green colored pavement markings	7413	SF		
5.21		Bike Lane Symbols (Green Pavement Marking, Helmeted Bicyclist, and Arrow Per BCTED)	94	EA		
Electrical						
6.01	0635 2 11	Pull & Splice Box, F&I, 13" X 24" Cover Size	14	EA		

6.02	0715 11213	Luminaire, F&I- Replace Existing Luminaire on Existing Pole/Arm, Roadway, Pole Top	15	EA		
BID ITEM	FDOT ITEM	DESCRIPTION	QTY	UNIT	UNIT RATE	ESTIMATED AMOUNT
Electrical (continued)						
6.03	0715 61121	Light Pole Complete, F&I, Standard Pole Standard Foundation, 35' Mounting Height, 10' Arm, Valmont	6	EA		
6.04	0715 5 32	Luminaire, F&I New Luminaire on New Mast Arm, Roadway, Pole top	3	EA		
6.05	0630 2 11	Conduit, Furnish and Install, Open Trench, Bus Shelter	80	LF		
6.06	0630 2 12	Conduit, Furnish and Install Directional Bore	3177	LF		
6.07	715 69 220	Light Pole Complete Remove, Wiring, Conduit, Pull Box	6	EA		
6.08	715 1 11	Lighting Conductors, F&I, Insulated, No. 10 or <	336	LF		
6.09	715 1 12	Lighting Conductors, F&I, Insulated, No. 8 to 6	2485	LF		
6.10	715 1 13	Lighting Conductors, F&I, Insulated, No. 4 to 2	7758	LF		
6.11	751 2 1	F&I 10' x 5/8" Ground Rod, Cadweld	16	EA		
6.12	751 2 2	F&I Bus Shelter Transformer, Rack, Fuses, NEMA 3R Boxes	2	EA		
6.13	751 35 11	Bus Shelter Lights	4	EA		
Decorative Items – Not in Surtax Funding						
7.01	526-1-1	Weston style paver detectable warnings	84	SY		
7.02		Increase in cost for using City of Weston Standard Sign Posts. This cost is in addition to the cost of Pay Item 5.18, F&I (Up to 12 SF)	29	EA		
7.03		Increase in cost for using City of Weston Standard Sign Posts. This cost is in addition to the cost of Pay Item 5.19, F&I (12 to 20 SF)	1	EA		
Miscellaneous						
8.01		Contingency – to be used at the City's discretion	1	LS	\$100,000.00	\$100,000.00
Grand Total (Figures)					\$	

Grand Total (Written in words)

Name of CONTRACTOR (Please Print)

Signature

Title

Date